

# Introduction to Tree Adjoining Grammar

## XTAG-Analyses of Syntactic Phenomena

Timm Lichte

DGfS-CL Fall School 2011

2. week, 2. session

06.09.2011



- 1 The XTAG-grammar
- 2 Complementation
  - NP- and PP-complements
  - Sentential complements
    - Control
    - Raising
    - Small clauses
- 3 Extraction
  - Unbounded dependency
  - Islands for extraction
  - Subject-auxiliary inversion
  - Relative clauses

... was located at the University of Pennsylvania (ca. 1988-2001)

**grammar**

(set of tree templates/families)

**tools**

(browser, editor, parser, ...)

URL: <http://www.cis.upenn.edu/~xtag/>

Manual: [XTAG Research Group, 2001]

# The architecture of the XTAG-grammar

Morph Database

inflected form  $\rightarrow$  root form, POS, inflectional information


Syntactic Database

root form, POS  $\rightarrow$  list of tree templates or tree families, list of feature equations


Tree Database

list of tree templates and tree families

Example: **Tree template** for the declarative transitive verb ( $\alpha n x 0 V n x 1$ ), where  $\diamond$  marks the lexical insertion site:



# The architecture of the XTAG-grammar



## A tree family

- is a set of tree templates,
- represents a subcategorization frame, and
- unifies all syntactic configurations the subcategorization frame can be realized in.

Example:  $\alpha_{nx}0V_{nx1} \in T_{nx}0V_{nx1}$

# The architecture of the XTAG-grammar - Counts


subcategorization frame	# tree fam.	# tree temp.
intransitive	1	12
transitive	1	39
adjectival complement	1	11
ditransitive	1	46
prepositional complement	4	182
verb particle constructions	3	100
light verb constructions	2	53
sentential complement (full verb)	3	75
sentential subject (full verb)	4	14
idioms (full verb)	8	156
small clauses/predicative	20	187
equational 'be'	1	2
ergative	1	12
resultatives	4	101
it clefts	3	18
total	57	1008

(from [Prolo, 2002])

## Lexical insertion

Drawing an edge between the lexical anchor and the lexical insertion site

- prior to substitution and adjunction
- The feature structures of the **lexical anchor** and the **insertion site** unify.




- 1 The XTAG-grammar
- 2 Complementation
  - NP- and PP-complements
  - Sentential complements
    - Control
    - Raising
    - Small clauses
- 3 Extraction
  - Unbounded dependency
  - Islands for extraction
  - Subject-auxiliary inversion
  - Relative clauses




# Complementation with NPs and PPs: The base cases

## Complementation with NPs:


$\alpha x0V$ :



$\alpha x0Vnx1$ :




$\alpha x0Vnx2nx1$ :




## Complementation with PPs: substitution or co-anchor

$\alpha x0Vnx1pnx2$ :




$\alpha x0Vnx1Pnx2$ :




# Case assignment and subject-verb agreement

Two modes of case assignment in tree templates:


- Direct case assignment with *case*
- Indirect case assignment with *assign-case*  
⇒ by the lexical anchor (during lexical insertion) or by adjoining trees



# Case assignment and subject-verb agreement



# Case assignment and subject-verb agreement



## Sentential complement structures

In XTAG, a distinction is drawn between sentential complements with **(1) finite verbs**, sentential complements with **(2) to-infinitives**, and **(3) small clauses**.

- (1) a. Kim said [that Sandy left]. (finitive)
  - b. Dana preferred [for Pat to get the job]. (to-infinitive)
  - c. Leslie wanted [Chris to go].
  - d. Lee believed [Dominique to have made a mistake].
  - e. René tried [PRO to win].
  - f. [Kims] seems [to be happy].
  - g. Tracy proved [the theorem false]. (small clauses)
  - h. Bo considered [Lou a friend].
  - i. Gerry expects [those children off the ship]
- (from [Pollard and Sag, 1994])

XTAG assumes different syntactic structures/derivations for superficially very similar sentences:

- (2) a. John tries [PRO to leave].
- b. [John] seems [to leave].

### Why is that?


XTAG adopts the **projection principle** from GB [Chomsky, 1981], according to which “meaning maps transparently into syntactic structure” [Culicover and Jackendoff, 2005, 47], such that the following equivalence relation holds:

Complement of the verb  $\iff$  Argument of the predicate

$\Rightarrow$   $\theta$ -criterion for TAG from [Frank, 2002]

Complement of the verb  $\iff$  Argument of the predicate

(3) John tries to leave.

  
tries(John, leave(John))

$\Rightarrow$  *John* is the complement of both *tries* and *to leave*.

$\Rightarrow$  Empty element (PRO) is used to avoid complement sharing.

$\Rightarrow$  PRO needs to be “controlled”.

$\Rightarrow$  **Control**

(4) John seems to leave.


  
seems(leave(John))

$\Rightarrow$  *John* is not the complement of *seems*.

$\Rightarrow$  Argumenthood is the primary syntactic factor, not agreement!

$\Rightarrow$  An alien complement looks like a regular complement.


$\Rightarrow$  **Raising**



- Classification game:

- |        |   |                   |
|--------|---|-------------------|
| (5) a. | They asked Jan to leave.                  | (object control)  |
| b.     | Bo turns out to be obnoxious.             | (subject raising) |
| c.     | Sandy is willing to go to the movies.     | (subject control) |
| d.     | Terry was expected to win the prize.      | (subject raising) |
| e.     | Kim believed a unicorn to be approaching. | (object control)  |





- Classification game:

- (6) a. It is important for Bill to dance.  
b. Christy left the party early to go to the airport.  
c. Peter kept standing in the doorway.


Control verbs establish the coreference between their subject/object and the unexpressed subject (PRO) of their sentential complement.  
(PRO control)

- (7) a. John tried [PRO to leave]. (subject control)  
          └──────────┬──────────┘  
                  ↑  
b. John persuaded him [PRO to leave]. (object control)  
                          └──────────┬──────────┘  
                                      ↑  
c. \*There tries [PRO to be disorder after a revolution].  
                  └──────────┬──────────┘  
                              ↑

⇒ Control verbs assign semantic role to the controller!

# Control verbs - XTAG-Analysis

- control feature for coindexation
- PRO tree or PRO as coanchor of the verb



Raising verbs determine case and agreement properties of the subject complement of the (non-finite) sentential complement. Since the “raised” constituent is no immediate part of the argument structure of the raising verb, this is called **Exceptional Case Marking (ECM)**.

- (8) a. [John] seems [to leave]. (subject raising)  
b. Sue expects [him to leave]. (object raising)  
c. [There] seems [to be disorder after a revolution].  
d. John expected [it to rain].

⇒ allow for expletive pronouns (*it/there*)


- (9) John seems unhappy.  
\*John tries unhappy.

⇒ allow for **small clauses**

# Raising verbs - XTAG-Analysis (1)

- no PRO
- The “raised” constituent is still part of the to-infinitive!
- ECM via assign-case feature


Example for subject raising:



# Raising verbs - XTAG-Analysis (2)

Example for object raising:

(10) We expect him to leave.



Question:

What complements does the verb *consider* take?

- (11) a. We consider [Kim to be an acceptable candidate].  
b. We consider [Kim an acceptable candidate].  
c. We consider [Kim quite acceptable].  
d. We consider [Kim among the most acceptable candidates].  
e. \*We consider [Kim as an acceptable candidate].

Similar verbs: *prove*, *expect*, *rate*, *count*, *want*

- 1 **One sentential complement (small clause)**, where *to be* can be omitted
- 2 **A noun and a predicative phrase**

## Pro:

- Homomorphism between argument structure and complement structure (in GB: Projection Principle, UTAH; in TAG:  $\theta$ -Criterion)
- Uniformity of the subcategorized constituents:

Instead of NP, AP, PP, IP/S, ... as possible categories of the complements, there is only one complement category.



### Contra:

- Passivization (object-to-subject shift)




(12) We considered [Kim quite acceptable].  
Kim was considered [\_\_ quite acceptable].

- Idiosyncratic restrictions on the predicative phrase

(13) a. I consider/\*expect [this Island a good vacation spot].  
b. I consider/\*expect [this man stupid].  
I expect [that man to be stupid].  
c. We rate/\*consider [Kim as quite acceptable]

⇒ The verb should be indifferent to the categorial status of the small clause predicate!


# Small clauses - XTAG-Analysis (1)




Small clauses have the structure of regular sentences, except that the verb is missing.

⇒ The superordinate verb is represented as auxiliary tree that adjoins at VP or S.

(14) We consider Kim acceptable.



(15) Kim seems acceptable.



- ⇒ *seems* adjoins to VP
- ⇒ ECM for nominative case

<b>control verbs</b>	<b>raising verbs</b>
assign semantic role (to the controlled subject)	assign <u>no</u> semantic role (to the raised subject)
PRO (incomplete sent. complement)	no PRO (complete sent. complement)
assign <u>no</u> case (to the controlled subject)	assign case via ECM (to the raised subject)
no small clauses	small clauses
XTAG: adjoin to S	XTAG: adjoin to S or VP


- 1 The XTAG-grammar
- 2 Complementation
  - NP- and PP-complements
  - Sentential complements
    - Control
    - Raising
    - Small clauses
- 3 Extraction
  - Unbounded dependency
  - Islands for extraction
  - Subject-auxiliary inversion
  - Relative clauses

## The movement metaphor:

- Relating syntactic configurations in a derivational hierarchy.
- **Traces** and **coindexation** are used to express derivational subordination.

## Topicalization/Extraction:

Placing a post-verbal constituent into a sentence-initial position.


- (16) a. Sandy loves Kim. (base configuration)
- b. Kim<sub>i</sub>, Sandy loves \_\_\_<sub>i</sub> . (NP-topicalization)
- c. On Kim<sub>i</sub>, Sandy depends \_\_\_<sub>i</sub> . (PP-topicalization)
- 






# Extraction - Tree templates


**subject extraction**  
( $\alpha W_0 n x_0 V$ )




**object extraction**  
( $\alpha W_1 n x_0 V n x_1$ )



## preposition stranding ( $\alpha W1nx0VPnx1$ )



## adjective complement extraction ( $\alpha WA1nx0Vax1$ )




## Unbounded dependency:

The dependency between an extracted constituent and its trace may extend **across arbitrarily many clause boundaries**.

- (18) a. Kim<sub>i</sub>, Sandy loves \_\_<sub>j</sub> .  
b. Kim<sub>i</sub>, Chris knows [Sandy loves \_\_<sub>j</sub>].  
c. Kim<sub>i</sub>, Dana believes [Chris knows [Sandy loves \_\_<sub>j</sub>]].
- (19) a. I wonder [who<sub>i</sub> Sandy loves \_\_<sub>j</sub>].  
b. I wonder [who<sub>i</sub> Chris knows [Sandy loves \_\_<sub>j</sub>]].  
c. I wonder [who<sub>i</sub> Dana believes Chris knows [Sandy loves \_\_<sub>j</sub>]].

(20) Kim<sub>i</sub>, Dana believes [Chris knows [Sandy loves \_\_\_<sub>i</sub>]].



⇒ extended domain of locality and factoring of recursion (recursive adjunction)

- **Adjuncts:**

(21) \*[Which movie]<sub>i</sub> did Gorgette fall asleep [after watching \_\_\_<sub>i</sub>].

⇒ No such elementary tree for the adjunct!

- **Coordination**

(22) \*Who<sub>i</sub> did Sandy love [\_\_\_<sub>i</sub> and Kim].

⇒ No such elementary trees for the coordinated NP and for the governing verb!

- **Finite sentences with complementizer** (subject extraction)  
(In GB: Empty Category Principle/Subjacency):

(23) \*Who<sub>i</sub> did Alice say [that    <sub>i</sub> left].  
      Who<sub>i</sub> did Alice say [   <sub>i</sub> left].

⇒ No such elementary trees!

- **Finite sentences with complementizer** (object extraction)

(24) \*Who<sub>i</sub> did the elephant whisper [that the emu saw    <sub>i</sub>] ?  
      Who<sub>i</sub> did the elephant say [that the emu saw    <sub>i</sub>] ?

⇒ Filtering by features:

comp = nil, where non-bridge verbs attach (*whisper*)

comp = nil/that, where bridge verbs attach (*say*)

# Subject-auxiliary inversion

## Subject-auxiliary inversion

The auxiliary verb ('do', 'have', 'be', 'can', ...) precedes the subject.

- **No subject-auxiliary inversion** in embedded wh-questions:

- (25) a. I wonder [what; John reads \_\_\_].  
b. \*I wonder [what; **does** John read \_\_\_].

- **Obligatory subject-auxiliary inversion** in direct questions with object extraction:

- (26) a. What; **does** John read \_\_\_?  
b. \*What; John **does** read \_\_\_?  
c. \*What; John reads \_\_\_?

- **No subject-auxiliary inversion** in topicalization:

- (27) a. \*This report; **does** John read \_\_\_.  
b. This report; John **does** read \_\_\_.


## Features for extraction:

- $\text{extracted} := \{+, -\}$   
⇒ to indicate extraction in the S-node
- $\text{wh} := \{+, -\}$   
⇒ to indicate the presence of a wh-pronoun
- $\text{inv} := \{+, -\}$   
⇒ to indicate inversion
- $\text{invlink} := \{+, -\}$   
⇒ to link wh und inv via the **root restriction**




# Subject-auxiliary inversion - XTAG-analysis (2)

## Tree template for object extraction (simplified):




## Elementary tree object extraction (even more simplified):



# Subject-auxiliary inversion - XTAG-analysis (4)

**No subject-auxiliary inversion** in embedded wh-questions:  
⇒ sentential complement with wh = +, inv = - in the root node

(28) I wonder [who; people love \_\_\_].




# Subject-auxiliary inversion - XTAG-analysis (5)

**Obligatory subject-auxiliary inversion** in direct questions:

⇒ In the root node: wh = +, inv = +

(29) Who<sub>i</sub> does Sandy love    <sub>i</sub>?



## Problem:

How to impose that  $wh = inv$  in non-embedded sentences?

## Root restriction

“A restriction is imposed on the **final root node** of any XTAG derivation of a tensed sentence which equates the  $wh$  feature and the  $invlink$  feature of the final root node.” [XTAG Research Group, 2001, 298]

## Effects:

- Only in non-embedded object extractions the  $wh$ -pronoun depends on inversion and vice versa.
- The same tree can be used for embedded and non-embedded object extraction.